
AN EPIDEMIOLOGIC INVESTIGATION OF HEALTH EFFECTS IN AIR FORCE PERSONNEL F (U) SCHOOL OF REROSPACE MEDICINE BROOKS AFB TX II H HOLFE ET AL 26 DEC 86 F/G 6/5 UNCLASSIFIED NL

1/1

AD-A175 453



AIR FORCE HEALTH STUDY (PROJECT RANCH HAND II)



AN EPIDEMIOLOGIC INVESTIGATION OF HEALTH EFFECTS IN AIR FORCE PERSONNEL FOLLOWING EXPOSURE TO HERBICIDES

MORTALITY UPDATE - 1986 26 DECEMBER 1986

WILLIAM H. WOLFE, COLONEL, USAF, MC
JOEL E. MICHALEK, PhD
JUDSON C, MINER, LIEUTENANT COLONEL, BSC
MICHAEL R. PETERSON, LIEUTENANT COLONEL, BSC

This document has been approved for public release and sale; its distribution is unlimited.

Prepared for:

THE SURGEON GENERAL UNITED STATES AIR FORCE WASHINGTON, D.C. 20314



FILE COP

EPIDEMIOLOGY DIVISION

SUSAF SCHOOL OF AEROSPACE MEDICINE (AFSC)

BROOKS AIR FORCE BASE, TEXAS 78235

district substant extense accorde courses within

	REPORT DOCUM	MENTATION I	PAGE		
1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED		16. RESTRICTIVE	MARKINGS		
28. SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION			
2b. DECLASSIFICATION / DOWNGRADING SCHEDU	ILE		for Public r ion is unlin		
4. PERFORMING ORGANIZATION REPORT NUMBE	: P(S)	5. MONITORING			81
USAFSAM - TR - 86 - 43	thin.	J. MONTOKING	ZNYMNIZM I UN KI	LEONT HUMBER()	,
6a. NAME OF PERFORMING ORGANIZATION	T6b OFFICE SYMBOL	7a. NAME OF MO	NITORING ORGA	NIZATION	
USAF School of Aerospace Medicine	(If applicable) USAFSAM/EK		on General		
6c. ADDRESS (City, State, and ZIP Code)	<u></u>	7b ADDRESS (Cit	y, State, and ZIP	Code)	
Aerospace Medical Divison (Al Brooks Air Force Base, Texas			tates Air Fo on, D.C. 20		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Aerospace Medicine	8b. OFFICE SYMBOL (If applicable) USAFSAM/EK	9. PROCUREMENT	INSTRUMENT ID	ENTIFICATION N	JMBER
8c. ADDRESS (City, State, and ZIP Code)		10. SOURCE OF F	UNDING NUMBER	S	
Aerospace Medical Division (A Brooks Air Force Base, Texas	AFSC) 78235-5301	PROGRAM ELEMENT NO. 65306F	PROJECT NO. 2767	TASK NO 00	WORK UNIT ACCESSION NO 01
An Epidemiologic Investigatic Exposure to Herbicides - More 12 PERSONAL AUTHOR(S) Wolf, William H., Michalek, 13a TYPE OF REPORT Interim 16 SUPPLEMENTARY NOTATION Ly 7	tality Update 19 Joel E., Miner, OYERED 979 TO 1985	86	eterson, Mi	chael R.	
FIELD GROUP SUB-GROUP 06 05	18 SUBJECT TERMS (C Epidemiologic Matched Cohort Mortality Stud	Investigatio Design; Non	n; Air Forc	e Health St	udy;
The purpose of the Air Force Hin the spraying of herbicides adverse health effects as a resigned to evaluate both the moover a 20 year period beginnin The Baseline Mortality Report February 1984. Follow-up mort so far failed to demonstrate hicide or dioxin exposure. This report contains summary s	and identify by block of ealth Study is to in Vietnam durin sult of their pa rtality (death) g in 1982. was released in ality reports we ealth effects wh	number) to determine g the Ranch rticipation and morbidit June 1983 the re released sich can be confor cumulative	Hand operatin that proy (disease) he Baseline in 1984 and onclusively	ion have ex gram. The in these i Morbidity 1985. Thi attributed curring up	perienced an study is dendividuals Report in s study has to herb-
ember 1985. These data were n parison deaths since the last	ot statistically	/ analyzed si	nce the 4 R	anch Hand a	ind 2/ com-
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT QUINCLASSIFIED/UNLIMITED SAME AS		UNCLASSIF			<i>چ</i>
220 NAME OF RESPONSIBLE INDIVIDUAL WILLIAM H. WOLFE, CO., USAF, M	C	226. TELEPHONE (512) 536	include Area Code -2604	USAFSAM	
	PR edition may be used ur		SECURITY	CLASSIFICATION	OF THIS PAGE
	All other editions are o	osolete.	UNCLAS	SIFIED	

A

SECURITY CLASSIFICATION OF THIS PAGE

As of 31 December 1985, 59 Ranch Hand and 312 comparison subjects had died.

The small number of deaths since the last analysis suggests that the findings of the last report are still valid: there are no overall statistically significant differences between the Ranch Handers and their matched comparisons as regards mortality.

Continued mortality surveillance is recommended, since these study groups are still relatively young and healthy. While sufficient time may have elapsed for some clinically significant conditions to occur, additional time is necessary for other conditions, which may possibly be attributable to herbicide exposure, to develop.

1

UNCLASSIFIED

Air Force Health Study Mortality Update - 1986

EXECUTIVE SUMMARY

BACKGROUND

The purpose of the Air Force Health Study is to determine whether those individuals involved in the aerial spraying of herbicides in Vietnam during the Ranch Hand operation have experienced any adverse health effects as a result of their participation in that program. The study is designed to evaluate both the mortality (death) and morbidity (disease) in these individuals over a 20 year period beginning in 1982.

The Baseline Mortality Report was released in June 1983, the Baseline Morbidity Report in February 1984. Follow-up mortality reports were released in 1984 and 1985. This study has so far failed to demonstrate health effects which can be conclusively attributed to herbicide or dioxin exposure. The reader is referred to the study reports for further details (1, 2, 3, 4).

RESULTS

This report contains summary statistics only for cumulative deaths occurring up to 31 December 1985. These data were not statistically analyzed since the 4 Ranch Hand and 27 Comparison deaths since the last report would not alter the results of the last analysis. Current percent dead by group, rank and occupation are shown below.

Percent Dead

Rank	Ranch Hand	Comparison
Officer	3.6	4.7
Enlisted	5.3	5.3
Occupation		
Flying	4.0	5.5
Ground	5.4	4.6
Total	4.7	5.1

The small number of deaths since the last analysis suggests that the findings of the last report are still valid: there are no overall statistically significant differences between the Ranch Handers and their matched comparisons as regards mortality. These data will be subjected to extensive statistical analysis in the next report, planned for 1987.

CONCLUSION AND RECOMMENDATION

Continued mortality surveillance is recommended, since these study groups are still relatively young and healthy. While sufficient time may have elapsed for some clinically significant conditions to occur, additional time is necessary for other conditions, which may possibly be attributable to herbicide exposure, to develop.

Table of Contents

		Page
Exe	cutive Summary	. i
Tab	le of Contents	. ii
1.	Introduction	. 1
2.	Data Summary and Interpretation	. 1
3.	Conclusion	. 4
	References	. 5
	Principal Investigators	. 6
	Annendiy - Noncause-enecific Statistical Summary	7



1	Aucession F	or	
	NTIS GRA&I	Z	
	DTIC TAR		
;	U. mineumned		
i	Just Micati	.on	
-			
1	В4.		
1-	pr tributio	מי/	
	Avni & Ailli	ty Code	3
!-	Avail	and/or	
•]	Dist Apo	cial	
į	. 11	1	
	All		
١	11		
`-	+		

Air Force Health Study Mortality Update - 1986

1. Introduction

This report updates the findings of the last mortality report (4) released on 29 November 1985. This report contains summary statistics only, without statistical analysis, since so few deaths occurred during 1985. Noncause-specific findings, taken from the last mortality report, are summarized in the Appendix. A complete analyses of these data will be presented in the 1987 report. The reader is referred to the baseline mortality report (1), released on 30 June 1983, for information regarding the study design and mortality determination process.

2. Data Summary and Interpretation

Summary counts of the population at risk and the number of deaths in each of the two groups (Ranch Hand and Comparison) stratified by rank and occupation are shown in Table 1. Table 2 contains the counts of new deaths in the populations since the last report. Table 3 contains summary counts and death rates by occupation, race and group. All tables in this report correspond to similar tables in the last annual report. These counts reflect cumulative mortality as of 31 December 1985 (certified as of 15 April 1986).

Table 1
Summary Counts of Death by Rank and Occupation

	R	anch Har		Comparison			
Rank	At risk	Dead	Rate (%)	At risk	Dead	Rate (%)	
Officer	466	17	0.036 (3.6)	2278	106	0.047 (4.7)	
Enlisted	791	42	0.053 (5.3)	3893	206	0.053 (5.3)	
Occupation							
Flying	646	26	0.040 (4.0)	3163	173	0.055 (5.5)	
Ground	611	33	0.054 (5.4)	3008	139	0.046 (4.6)	
Total	1257	59	0.047 (4.7)	6171	312	0.051 (5.1)	

In Table 2, the number "At risk" is the number alive on 1 January 1985.

Table 2

Deaths During 1985 by Rank and Occupation

	anch Han	Comparison				
Rank	At risk	Dead	Rate per 100	At risk	Dead	Rate per 100
Officer	450	1	0.2	2180	8	0.4
Enlisted	752	3	0.4	3706	19	0.5
Occupation						
Flying	622	2	0.3	3002	12	0.4
Ground	580	2	0.3	2884	15	0.5
Total	1202	4	0.3	5886	27	0.5

Table 3
Occupational and Race-Specific Cumulative Mortality

		Ranch Hand		Comparison			
				Rate			Rate
Race	Occupation	At risk	Dead	per 100	At risk	Dead	per 100
Non-Black	Officer-Pilot	350	12	3.4	1740	86	4.9
	Officer-Nav.	82	4	4.9	390	16	4.1
	Officer-Other	25	1	4.0	123	4	3.3
	Enlisted-Flt Eng.	. 191	7	3.7	935	61	6.5
	Enlisted-Other	533	30	5.6	2628	123	4.7
Black	Officer-Pilot	6	0	0.0	13	0	0.0
	Officer-Nav.	2	0	0.0	10	0	0.0
	Officer-Other	1	0	0.0	2	0	0.0
	Enlisted-Flt Eng.	15	3	20.0	75	10	13.3
	Enlisted-Other	52	2	3.8	255	12	4.7
	Total	1257	59	4.7	61 71	312	5.1

Summary counts by rank, occupation and group are shown in Table 4.


Table 4
Summary Counts by Rank, Occupation and Group

				Flyi	ng Per	sonnel				
		Offic	er		Enlisted			Total		
	At		Rate	At		Rate	At		Rate	
Group	risk	Dead	per 100	risk	Dead	per 100	risk	Dead	per 100	
Ranch Hand	440	16	3.6	206	10	4.9	646	26	4.0	
Comparison	2153	102	4.7	1010	71	7.0	3163	173	5.5	
				Grou	ind Per	sonnel				
		Offic	er		Enlist	.ed	Total			
	At		Rate	At		Rate	At		Rate	
Group	risk	Dead	per 100	risk	Dead	per 100	risk	Dead	per 100	
Ranch Hand	26	1	3.8	585	32	5.5	611	33	5.4	
Comparison	125	4	3.2	2883	135	4.7	3008	139	4.6	

The 194th rates in Tables 1 through 4 are very similar to the corresponding rates in the 1985 report. For example, the overall Ranch Hand ground personnel rate of 5.4%, shown in Table 4, has increased from 5.1%, shown in the last report, due to 2 Ranch Hand ground deaths during 1985. Although the overall Ranch Hand and Comparison death rates of 4.7 and 5.1 percent, shown in Table 1, are very comparable, Table 4 suggests that group contrasts change with rank and job. That is, the Ranch Hand flying officer death rate (3.6) is smaller than that of their matched comparisons (4.7), while the situation is reversed for enlisted ground personnel with the Ranch Hand rate (5.5) being greater than that of the Comparisons (4.7). The statistical significance of this reversal will be assessed in the 1987 report.

Survival curve estimates for all Ranch Handers and all comparisons are shown in Figure 1.

Figure 1
Survival Curve Estimates for All Ranch Handers and All Comparisons



Deaths by cause, group, rank and occupation are shown in Table 5. This corresponds to Table 16 in the 1985 report.

Table 5

Deaths by Cause, Group, Rank and Occupation

		Offic	er			En <u>l</u> is	sted			
	Fly	ing	Gro	ind	Fly	ing	Grou	ind	To	tal
	RH	С	RH	<u>c</u>	RH	C	RH	C	RH	С
Accident	8	33	<u>_0</u>	ī	4	27	8	36	20	97
Suicide	0	5	1	1	1	3	1	10	3	19
Homicide	0	0	0	0	0	2	2	3	2	5
Parasitic Infection	0	2	0	0	0	0	0	2	0	4
Malignant Neoplasm	1	18	0	1	1	14	5	25	7	58
Uncertain Neoplasm	0	1	0	0	0	0	0	1	0	2
Endocrine	0	1	0	0	0	1	1	0	1	2
Mental Disorder	0	0	0	0	0	0	0	1	0	1
Nervous System	0	1	0	0	0	0	0	1	0	2
Circulatory System	5	32	0	0	1	15	13	47	19	94
Respiratory System	0	2	0	0	0	3	0	2	0	7
Digestive System	2	5	0	1	2	4	2	5	6	15
Genitourinary System	0	1	0	0	0	0	0	2	0	3
Congenital Abnormalities	0	0	0	0	0	1	0	0	0	1
Ill Defined	0_	_1_	0	0	1_	1_	_0_	_0_	_1_	_2
Total	16	102	1	4	10	71	32	135	59	312

Deaths during 1985 by cause are shown in Table 6.

Table 6

Deaths During 1985 by Cause

Cause	Ranch Hand	Comparison
Accident	1	1
Suicide	0	1
Malignant Neoplasm	1	7
Endocrine	0	1
Circulatory System	t	14
Digestive	1	2
Congenital Anomalies	0	1
Total	4	27

3. Conclusion

No statistical inference can be drawn from these summary counts since these data were not analyzed, although the low counts in Table 2 suggest that the conclusions of the last report are still valid. These data will be subjected to regression analyses of the hazard ratio and of the SMR in the 1987 mortality report.

References

- 1. Lathrop, G. D., Moynahan, P. M., Albanese, R. A., Wolfe, W. H. (1983). An Epidemiologic Investigation of Health Effects in Air Force Personnel Following Exposure to Herbicides: Baseline Mortality Study Results. (NTIS Order Number: AD-A130 793)
- 2. Lathrop, G. D., Wolfe, W. H., Albanese, R. A., Moynahan, P. M. (1984). An Epidemiologic Investigation of Health Effects in Air Force Personnel Following Exposure to Herbicides: Baseline Morbidity Study Results. (NTIS Order Number: AD-A130 340)
- 3. Wolfe, W. H., Michalek, J. E., Albanese, R. A., Lathrop, G. D., Moynahan, P. M. (1984). An Epidemiologic Investigation of Health Effects in Air Force Personnel Following Exposure to Herbicides: Mortality Update 1984. (NTIS Order Number: AD-A162 687)
- 4. Wolfe, W. H., and Michalek, J. E. (1985). An Epidemiologic Investigation of Health Effects in Air Force Personnel Following Exposure to Herbicides: Mortality Update 1985. (NTIS Order Number: AD-A163 237)

PRINCIPAL INVESTIGATORS

William H. Wolfe, MD, MPH, FACPM Colonel, USAF, MC Chief, Epidemiology Division

Joel E. Michalek, PhD, GM-14 Chief, Biometrics Branch Epidemiology Division

Judson C. Miner, DVM, MPH, ACVPM Lt Col, USAF, BSC Chief, Epidemiology Services Branch Epidemiology Division

Michael R. Peterson, DVM, MPH, Dr.PH. Lt Col, USAF, BSC Chief, Occupational Epidemiology Section Epidemiology Division

APPENDIX

Noncause-Specific Statistical Summary 1985 Mortality Update

Age at Death

	Log	rank
Group	Value	P-Value
Officer Enlisted Flying Ground	-0.835 0.187 -1.34 0.976	0.40 0.85 0.18 0.33
Total	0.305	0.76

Deaths to Date

Group	RR	P-Value	SMR	P-Value
Officer Enlisted Flying Ground	0.715 0.987 0.692 1.21	0.26 0.94 0.12 0.35	0.791 1.03 0.726 1.23	0.37 0.89 0.13 0.33
Total	0 915	0.57	0 954	0.73

EMD D

2 - 8 7

DTIC